



BELISLASER

Vertical Co2 Laser Fractional Machine Catalog

Contact us for more catalogs of HIFU and Vaginal HIFU machine, RF Cavitation machine Micro needle RF, Hair Growth Machine, CO2 Laser Fractional Machine, Hair removal Machines, Nd yag Laser and Pico Laser machine, Hydrafacial Skin Tester 2 in 1 machine, EMSlim Body Sculpting machine, Cryolipolysis Cavitation RF Fat Reducing Machine, etc.

BELISLASER

COMPANY PROFILE

>>> About Us

Zhengzhou Belis Electronic Technology Co., Ltd is a globally recognized manufacturer of innovative and advanced medical aesthetic equipment, with a strong presence in Europe, South America, and Latin America. We offer a comprehensive range of cutting-edge devices, including IPL, E-light, Radiofrequency, Cavitation, Nd-YAG lasers, Diode lasers, Fractional CO2 lasers, Lipolaser systems, and skin analyzers. Our mature sales network spans Mexico, Chile, and Spain, supported by a dedicated Customs Agent in Mexico and Cofepris certification for compliance. We collaborate with local engineers to provide exceptional after-sales technical support, ensuring our clients receive reliable and efficient service.



Fractional Co2 Laser Machine For Skin Treatment

Item Number: BL-307



Introduction

CO2 Fractional Laser Machine for skin resurfacing, scar removal & anti-aging. 40W/60W power, adjustable modes & minimal downtime. FDA-approved for safe treatments.

[Learn More](#)

Parameter	Specification
Normal Mode	
Wavelength	10.6 μ m, far-infrared laser
Power	40W (or 60W)
Output Modes	Continuous, Superpulse, Fractional
Cooling	Air Cooling
Fractional Mode	
Scan Graphics	7, Square, Rectangle, Round, or Custom Graphics
Working Status	Hyperpulsed Mode
Pulse Interval	1ms-5000ms, 1ms in each step
Focal Spot Diameter	≤ 0.2 mm
Pulse Width	0.1ms-10ms, 0.1ms in each step
Working Modes	Continuous, Superpulse, Intermittent Load
Spot Interval	0.1mm-2.6mm, 0.1mm in each step
Scan Mode	Disordered Emission, Emitting in Order, Emitting at Maximum Distance
Technical Specifications	
Laser Devices	Sealed Current-Stimulated Laser Device Continuous
Condenser focusing	f=100mm
Jet size	Adjustable from 0.1 mm to 20 mm
Beam transport device	Treatment arm with six segments and counterweight
Dimensions	53cm x 50cm x 65 cm
Net weight	65 kg



Belislaser

No.38, Mudan Road, High-tech Zone, Zhengzhou, China

